




SPOTHLIGHTS WITH CRYSTAL CR-774 CR-775



Technical data

Nominal voltage:	12VAC
Rated power:	Max 50W
LED ring power:	3W; 150lm
Driver:	3W for LED ring included
Housing:	Aluminium & polyester
Lamp holder:	GU5.3
Cutting hole:	60mm

TECHNICAL SPECIFICATION



Features

- o Attractive design
- o LED Light ring included
- o Luxury appearance
- o Suitable for indoor mounting
- o Glass and crystal material body
- o The glass and crystal housing allows the light to spread through it
- o Environmentally friendly no mercury and lead
- o Resistant to shock and vibration stable body

Area of application

- o Domestic application
- o Accent lighting
- o Indoor lighting
- o Decorative lighting

Variants and Dimensions

Model	Description	Colour body	Size (mm)		Catalogue number	
			Diameter	Height	Cutting hole	
925774S/CL	Spotlight	Crystal	100	22	60	925774S/CL
925775S/CL	Spotlight	Crystal	100	22	60	925775S/CL

Barcodes

3800131197375	925774S/CL
3800131197382	925775S/CL





Energy efficiency

925775S/CL Fighting This luminaire contains built-in LED lamps and has sockets for bulbs of the energy classes:
A ⁺⁺ A ⁺ A D B C D E
The LED lamps cannot be changed in the luminaire.

Standards

• EN 60598-1 • EN 60598-2-2 •

